

**TOPSTAR**

— Since 1958 —

# Chang E Ceiling & Night-light



Night light

CE CB

## Application :

The ceiling light have a modern appearance, energy saving and unique features. These innovative feature regular lighting and a night light option. Then, go from regular lighting to night light mode with the flip of a standard light switch. this fixture emits 1200 lumens of bright, even lighting for bedrooms, living rooms, dining rooms, and more. It comes in an metal housing with a unique shape that accentuates the look of any room. In night light mode, you get a soft 2000K glow. The key light mode can bring bright lighting to your living space . Integrated LED technology saves energy and lasts years. Enhance high-CRI LED light makes colors vibrant and furniture or interior decoration look more natural, all while saving energy and lasting for years. It has never been easier to customize your home's lighting to suit your lifestyle.


## Features & Benefits :

- White and black two appearance options, suitable for different decoration styles.
- Go from regular lighting to night light mode with a flip of a light switch.
- Night light: soft and uniform, not dazzling.
- No Flicker and Buzzing, comfortable for your eyes, provides a comfortable、 stress-free atmosphere.
- CRI80 High ability of revealing the colors of various objects faithfully and protect your eyes, allowing you to enjoy the most realistic objects' color.

## Application place :

The product is suitable for residential home, bedroom, apartments, hotel, restaurant and so on.

## Available Sizes :



Type	Diameter	Height
Ceiling & Night-light 12Inch	11.6Inch(295mm)	1.97Inch(50mm)
Ceiling & Night-light 14Inch	13.78Inch(350m,)	1.97Inch(50mm)

**Technical Date :**

Lamp Type	Ceiling & Night-light 12Inch	Ceiling & Night-light 14Inch
Rated Voltage	220-240V	
Rated Power	20W	32W
Displacement Factor--DF	DF0.7	DF0.9
Declared Luminous Flux—Key light mode	1500lm	2400lm
Declared Luminous Flux—Night light mode	50lm	50lm
Color Temperature	Night light 2000K & Key light 3000K/6500K	
Average Ra	Ra80	
Beam Angle	90°	
Average Life	25000H	
Working Temperature	-10°C(14°F)~40°C(+104°F)	
Material	Metal+ PS	
Dimmable	NO	
Environment	IP20	
Certificate	CE/CB/ERP	