



## COMPLETE SHAPE

There's always a glass shape to suit your needs.



## FUNCTION SETTING

Easily arrange your plans and times.

**Application:**

Make your home into a smart home with the TOPSTAR smart light bulb. Use your favorite smart device to easily turn lights on/off, dim, set groups and schedules from anywhere. Choose energizing daylight or wind down with relaxing soft white light, it's all up to you. Control lighting with simple voice commands or an intuitive mobile app. Setup is simple: the bulbs connect directly to your 2.4 GHz home Wi-Fi and can be controlled from anywhere. Enhance high-CRI LED light makes colors vibrant and skin tones look more natural, all while saving energy and lasting for years. It has never been easier to customize your home's lighting to suit your lifestyle.

**Feature & Benefits:**

- 1.Function optional: DIM, CCT.
- 2.Support Matter over Wi-Fi or Matter over Thread protocol.
- 3.Adjustable color temperature ranging from 2700K to 6500K.
- 4.Enhance high-CRI LED light makes colors vibrant.
- 5.Turn on/off, adjust lighting, set groups and schedules with your smartphone.
- 6.Compatible with Google Home and Amazon Alexa voice assistants.
- 7.Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights.

**Application place:**

The product is suitable for residential home, living room and so on.



**Technical Data:**

	TSZ5.5FB35 -LD-CEC	TSZ7FA19-LD005 -CEC	TSZ7FG25 -LD004-CEC	TSZ7FST19 -LD003-CEC
<b>Lamp Type</b>	B11	A19	G25	ST19
<b>Rated Voltage</b>	120V			
<b>Rated Power</b>	5.5W	7W	7W	7W
<b>Incandescent Equivalent</b>	60W	60W	60W	60W
<b>Power Factor</b>	0.7			
<b>Declared Luminous Flux</b>	500lm	750lm	750lm	750lm
<b>Color Temperature</b>	2700~6500K			
<b>Average Ra</b>	90			
<b>Beam Angle</b>	290°			
<b>Average Life</b>	15000H			
<b>Working Temperature</b>	-20°C (-4°F)~40°C (+104°F)			
<b>Material</b>	Glass			
<b>Dimmable</b>	App Control			
<b>Diameter</b>	1.38Inch (35mm)	2.36Inch (60mm)	3.15Inch (80mm)	2.28Inch (58mm)
<b>Height</b>	3.64Inch (92.5mm)	4.33Inch (110mm)	4.57Inch (116mm)	5.16Inch (131mm)
<b>Weight</b>	0.044Lb (20g)	0.084Lb (38g)	0.108Lb (49g)	0.095Lb (43g)
<b>Base</b>	E26			
<b>Environment</b>	Damp Location			
<b>Certificate</b>	ETL、FCC、CEC-T20			