


### **Smart Disk Downlight**







#### **FULL COLOR**

With 1600 colors, customize variable light modes.



#### **FUNCTION SETTING**

Easily arrange your plans and times.



#### INSTALLATION

Mount directly to a junction box, or retrofit into a wide range of existing cans











## TOPSTAR — Since 1958 —

### **Smart Disk Downlight**

#### Application:

Make your home into a smart home with the TOPSTAR smart disk downlight. Fitting most 4 and 5-6 inch recessed can housings or junction box. Use your favorite smart device to easily turn lights on/off, dim, set groups and schedules from anywhere. Choose energizing daylight or wind down with relaxing soft white light. Get creative with color, it's all up to you. Control lighting with simple voice commands or an intuitive mobile app. Setup is simple: the disk downlights come with quick-connect wiring and a medium base adapter. Install and connect directly to your 2.4GHz home Wi-Fi in minutes. Enhance high-CRI LED light makes colors vibrant and skin tones look more natural, all while saving energy and lasting for years. It has never been easier to customize your home's lighting to suit your lifestyle.

#### Feature & Benefits:

- 1. Function optional: DIM, TW, RGBCW.
- 2. Support Matter over Wi-Fi or Matter over Thread protocol.
- 3. With the ability to support a stunning array of 1600 colors and an adjustable color temperature ranging from 2700K to 6500K.
- 4. Enhance high-CRI LED light makes colors vibrant.
- 5. Turn on/off, adjust lighting, set groups and schedules with your smartphone.
- 6. Compatible with Google Home and Amazon Alexa voice assistants.
- 7. Converts conventional lighting to energy saving smart LED technology
- 8. Suitable for most 4 and 5-6 inch recessed can housings or junction box.

#### **Application place:**

The product is suitable for residential home, living room and so on.





# **Smart Disk Downlight**

#### **Technical Date:**

	TSZ15DLLD0**
Lamp Type	5&6Inch Disk Downlight
Rated Voltage	120V
Rated Power	15W
Power Factor	0.7
Declared Luminous Flux	1100lm
Color Temperature	2700~6500K & RGB
Average Ra	90
Beam Angle	110°
Average Life	25000H
Working Temperature	-20°C(-4°F)~40°C(+104°F)
Material	Metal + Plastic
Dimmable	App Control
Diameter	7.09Inch(180mm)
Height	1.40Inch(35.5mm)
Environment	Damp Location
Certificate	ETL、FCC、CEC-T20