

TOPSTAR

— Since 1958 —

Spot Light EC0-2 Series



50°

CE CB

Introduce:


The ECO-2 Spot Light Series has the features of simple and beautiful appearance, compact structure, lightweight and easy to use, soft light, safe use and high efficiency; It is a kind of LED luminaire suitable for indoor lighting which is directly mounted on the ordinary mounting surface. Used in shopping malls, offices, airport terminals, train stations, subways, etc. .Different scenes have different local lighting designs, and you can enjoy life in more detail.

Feature & Benefits:

1. Appearance Optional: Basic Type or Nickel plated Type
2. Ultra-thin design, Up to 23.5mm
3. High light transmission polyester convex lens to reduce light loss.
4. No Flicker and Buzzing, comfortable for your eyes, provides a comfortable, stress-free atmosphere
5. CRI80 High ability of revealing the colors of various objects faithfully and protect your eyes, allowing you to enjoy the most realistic objects' color. provides a comfortable, stress-free atmosphere.

Application place:

Residential home/Living room/Bedroom/Apartments/Hotel/Restaurant.

Available Sizes:

Type	Height	Diameter
Spot Light ECO-2	0.92Inch(23.5mm)	3.54Inch(90mm)

Technical Data:

Lamp Type	ECO-2 Non-DIM		ECO-2 DIM	
Input Voltage	220-240V			
Rated Power	5W	7W	5W	7W
Power Factor--PF	0.5			
Displacement Factor--DF	0.5			
Total Luminous Flux	425lm	595lm	425lm	595lm
Declared Luminous Flux	Useful 350lm	Useful 520lm	Useful 350lm	Useful 520lm
Color Temperature	3000K/6500K			
Average Ra	80			
Beam Angle	50°			
Average Life	25000H			
Working Temperature	-10 C (14 F)~40 C (+104 F)			
Material	Plastic			
Dimmable	NO		Dimmable	
Cut-out	2.75Inch(70mm)			
Weight	55g			
Environment	IP20			
Certificate	CE/CB/ERP			