

**R lamps**

120°

CE CB**Introduce:**

The R lamps delivers impressive spot lighting which a perfect retrofit replacement for halogen or incandescent spots. The reflector emits directed light in pendant

luminaires, spots and spotlights. It only emits frontal light to highlight pictures, decorations or entire wall surfaces with targeted illumination. Perfect for decorative and general lighting applications and creates a warm ambience similar to traditional lamps.


Features & Benefits:

- Modern construction and attractive design
- Lower maintenance cost compared to traditional lamps
- No Flicker and Buzzing, comfortable for your eyes, provides a comfortable, stress-free atmosphere.
- CRI80, allowing you to enjoy the most realistic objects' color. provides a comfortable, stress-free atmosphere

Application place:

Residential home/Living room/ Bedroom/Apartments/Hotel/Restaurant

Available Sizes:



Type	Diameter	Height
R39	1.54 Inch(39mm)	2.68 Inch(68mm)
R50	1.97 Inch(50mm)	3.39 Inch(86mm)
R63	2.48 Inch(63mm)	3.94 Inch(100mm)
R80	3.15 Inch(80mm)	4.53 Inch(115mm)

Technical Data:

Lamp Type	R39	R50	R63	R82
Rated Voltage	220-240V			
Rated Power	3.5W	5.5W	7W	9W
Power Factor--DF	PF0.5			
Displacement Factor--DF	DF0.5			
Declared Luminous Flux	Useful 320lm	Useful 470lm	Useful 630lm	Useful 860lm
Color Temperature	3000K/6500K			
Average Ra	Ra80			
Beam Angle	120°			
Average Life	15000H			
Working Temperature	-10°(14°F)~40°C(+104°F)			
Material	Plastics、Aluminum			
Dimmable	NO			
Weight	20g	29g	45g	64g
Base	E14		E27	
Environment	IP20			
Certificate	CE/CB/ERP			