



FULL COLOR

With 1600 colors, customize variable light modes.



FUNCTION SETTING

Easily arrange your plans and times.



Application:


Make your home into a smart home with the TOPSTAR smart light bulb. Use your favorite smart device to easily turn lights on/off, dim, set groups and schedules from anywhere. Choose energizing daylight or wind down with relaxing soft white light. Get creative with color, it's all up to you. Control lighting with simple voice commands or an intuitive mobile app. Setup is simple: the bulbs connect directly to your 2.4 GHz home Wi-Fi and can be controlled from anywhere. Enhance high-CRI LED light makes colors vibrant and skin tones look more natural, all while saving energy and lasting for years. It has never been easier to customize your home's lighting to suit your lifestyle.

Feature & Benefits:

- 1.Function optional: DIM, TW, RGBCW.
- 2.Support Matter over Wi-Fi or Matter over Thread protocol.
- 3.With the ability to support a stunning array of 1600 colors and an adjustable color temperature ranging from 2700K to 6500K.
- 4.Enhance high-CRI LED light makes colors vibrant.
- 5.Turn on/off, adjust lighting, set groups and schedules with your smartphone.
- 6.Compatible with Google Home and Amazon Alexa voice assistants.
- 7.Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights.

Application place:

The product is suitable for residential home, living room and so on.

Available Sizes:

Type	A	B
A19	2.36Inch(60mm)	4.53Inch(115mm)
A21	2.83Inch(72mm)	5.67Inch(144mm)

Technical Data:

	TSZ8.5A19-LD001-CEC	TSZ15A21-LD
Lamp Type	A19	A21
Rated Voltage	120V	120V
Rated Power	9W	15W
Incandescent Equivalent	60W	100W
Power Factor	0.7	0.7
Declared Luminous Flux	800lm	1500lm
Color Temperature	2700~6500K&RGB	2700~6500K&RGB
Average Ra	90	90
Beam Angle	220°	220°
Average Life	15000H	15000H
Working Temperature	-20℃(-4℉)~40℃(+104℉)	-20℃(-4℉)~40℃(+104℉)
Material	Plastic	Plastic
Dimmable	App Control	App Control
Weight	0.099Lb(40g)	0.110Lb(50g)
Base	E26	E26
Environment	Damp Location	Damp Location
Certificate	ETL、FCC、CEC-T20	ETL、FCC、CEC-T20