

TOPSTAR

— Since 1958 —

Ultra Slim Recessed Ceiling Light

Night Light



TRIAC Dimming



5CCT Selectable



Night light



Application :

One Light, Dual Functions: Recessed lighting 6 inch with nightlight features two modes and switched by wall switch-2200K night light mode and daylight downlight mode; the nightlight mode provides reduced light output at 2200K color temperature, creating a cozy, warm and soft ambience.

Features :

- 5 CCT selectable.
- TRIAC dimming.
- Edge-lit design for even lighting distribution.
- Night light feature - Gentle slow illuminating the trim.
- Installation: Suit for retrofit and new decoration, fits various ceilings, and joists.

Application place :

The product is suitable for Living room, Bedroom, Apartments, Hotel, Restaurant and so on.

Technical Date :

Side	4inch	6inch
Rated Voltage	120V	120V
Function	Night light	Night light
Rated Power	10W	13W
Power Factor	0.7	0.7
Declared Luminous Flux	750lm	1000lm
Color Temperature	5CCT(27000K/3000K/ 3500K/4000K/5000K)	5CCT(27000K/3000K/ 3500K/4000K/5000K)
Color Temperature (Night light)	2000K	2000K
Average Ra	90	90
Beam Angle	110°	110°
Average Life	35000H	35000H
Working Temperature	-20°C(-4°F)~ 40°C(+104°F)	-20°C(-4°F)~ 40°C(+104°F)
Material	Plastci+ PC	Plastci+ PC
Dimmable	TRIAC	TRIAC

Length	4.92Inch(125mm)	6.89Inch(175mm)
Width	4.92Inch(125mm)	6.89Inch(175mm)
Height	1.26Inch(32mm)	1.26Inch(32mm)
Environment	Damp Location	Damp Location
Certificate	ETL、FCC	ETL、FCC