



Dusk to Dawn

Integrated dusk-to-dawn sensor that detects sunlight.



Repelling Mosquitoes

Mosquitoes are repelled by the unique design and band.



Color Select Technology

Adjustable: 2700K&5000K



Introduce :

Get a convenient outdoor light that turns on automatically at night with the Dusk to Dawn Lamps from TOPSTAR. This LED bulb features an integrated dusk-to-dawn sensor that detects sunlight. It turns on when the sun goes down and off during the day, hassle-free lighting for your outdoor space. Install it on patios or in other outdoor fixtures with access to sunlight and never worry about turning on the lights at night. A toggle on the filament lets you select the perfect color temperature for your space. Select 2700K Soft White or 5000K Daylight. Upgrade your outdoor areas to Adjustable White Dusk to Dawn LED Bulbs to experience the convenience of having the perfect shade of light every time and the added benefit of energy savings for years to come.

Features & Benefits :

- External dusk to dawn photocell sensor detects natural sunlight and turns the bulb on when it's dark out and off during the day.
- Get Soft White or Daylight with the flip of a switch.
- Mosquitoes are repelled by the unique design and band.
- Enhance high-CRI LED light makes colors vibrant.
- Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights.

Application place :

The product is suitable for courtyard, corridor and so on.

Technical Date :

	TSZ9A19-L007	TSZ5B11-LD00*-CEC	TSZ8A19-LD00*-CEC	TSZ13A19-LD00*-CEC
Lamp Type	A19 Lamp	B11 Filament	A19 Filament	A19 Filament
Rated Voltage	120V	120V	120V	120V
Rated Power	9W	5W	8W	13W
Incandescent Equivalent	60W	60W	60W	100W
Power Factor	0.6	0.7	0.7	0.7
Declared Luminous Flux	White:800lm Yellow:600lm	500lm	800lm	1520lm
Color Temperature	5000K	2700K&5000K	2700K&5000K	2700K&5000K
Average Ra	80	90	90	90
Beam Angle	220°	290°	290°	290°
Average Life	15000H	15000H	15000H	15000H
Working Temperature	-20°C(-4°F)~ 40°C(+104°F)	-20°C(-4°F)~ 40°C(+104°F)	-20°C(-4°F)~ 40°C(+104°F)	-20°C(-4°F)~ 40°C(+104°F)
Material	Plastic	Glass	Glass	Glass

Dimmable	NO	NO	NO	NO
Diameter	2.28Inch(58mm)	1.38Inch(35mm)	2.36Inch(60mm)	2.36Inch(60mm)
Height	4.21Inch(107mm)	4.06Inch(103mm)	4.36Inch(110mm)	4.36Inch(110mm)
Weight	0.110Lb(50g)	0.044Lb(20g)	0.077Lb(35g)	0.077Lb(35g)
Base	E26	E12/E26	E26	E26
Environment	Damp Location	Damp Location	Damp Location	Damp Location
Certificate	ETL、FCC	ETL、FCC、CEC-T20	ETL、FCC、CEC-T20	ETL、FCC、CEC-T20