

TOPSTAR

— Since 1958 —

3 Mode Lamps A60/GX53 D200



120°



200°



Sleep



Night



Day

CE CB

Application :

Enjoy all the benefits of advanced LED energy-saving technology with the TOPSTAR 3 Mode Lamp. This lamp has three lighting modes, night, relax or working mode, and the color and brightness of the lamp change simultaneously with the selection of the wall switch to meet your different lighting needs. Night-light mode is ideal for sleeping, especially for children; Relaxation mode is more cozy and comfortable when you are reading or having fun; If you need to work or paint, the working mode light will provide enough brightness for you. It also has a memory function, one use to remember your needs, the next use does not need to adjust Any light state, light for more than 7 seconds, shut down and then turn on to maintain the same state.


Features & Benefits :

- 3 lighting modes optional, night, relax or working mode, to meet your different lighting needs.
- These LED lights do not contain mercury and won't release any hazardous gases into the air.
- No flicker and buzzing, comfortable for your eyes, provides a comfortable, stress-free atmosphere.
- CRI80, allowing you to enjoy the most realistic objects' color. provides a comfortable, stress-free atmosphere.
- Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights. With a lifetime of up to 15,000 hours, you can reduce the hassle of frequently replacing your light bulbs.

Application place :

The product is suitable for residential home, living room and so on.

Available Sizes :



Type	Diameter	Height
A60	2.36Inch(60mm)	4.29Inch(109mm)
GX53 D200	7.87Inch(200mm)	1.85Inch(47mm)

Technical Data :

Lamp Type	3 Mode Lamp A60	3 Mode Lamp GX53 D200
Rated Voltage	220-240V	
Rated Power	8W	18W
Incandescent Equivalent	60W	/
Power Factor--PF	PF0.6	
Displacement Factor--DF	DF0.7	
Declared Luminous Flux	#1 2700K-40lm #2 2700K-700lm #3 4000K-806lm	#1 2700K-180lm #2 2700K-1700lm #3 4000K-1900lm
Color Temperature	2700K&4000K	
Average Ra	Ra80	
Beam Angle	200°	120°
Average Life	15000H	
Working Temperature	-10°C(14°F)~40°C(+104°F)	
Material	Plastics、 Aluminum	Plastic
Dimmable	NO	
Base	E27	GX53
Environment	IP20	
Certificate	CE/CB/ERP	