



Adjustable B Type mirror light

CE CB

### **Introduce:**

The adjustable B Type mirror light has a high quality lamp body, stable metal characteristics, electroplating lamp body, not easy to rust. Four lengths available: 410mm/510mm/610mm/710mm. Adjustable light heads 270°, convenient for your light needs. The shape is simple, lighting soft, and the simple mirror is matched to interpret the classic beauty with fashion and ability.



**Features & Benefits:**

- Adjustable light heads 270°, Convenient for your light needs
- Delicate and fashionable design
- Materials: Acrylic lampshade、Iron body
- IC isolated constant current driver
- Appearance: brass
- 25000 hours lifespan

**Application place:**

Bedroom/bathroom

**Available Sizes:**



Type	Height	Width	Length-1	Length-2
Adjustable B Type L410	4.3 Inch(110mm)	8.3 Inch(210mm)	16.1 Inch(410mm)	5.9 Inch(150mm)
Adjustable BType L510	4.3 Inch(110mm)	8.3 Inch(210mm)	20.1 Inch(510mm)	5.9 nch(150mm)
Adjustable B Type L610	4.3 Inch(110mm)	8.3 Inch(210mm)	24.0 Inch(610mm)	5.9 Inch(150mm)
Adjustable B Type L710	4.3 Inch(110mm)	8.3 Inch(210mm)	28.0 Inch(710mm)	5.9 Inch(150mm)

## Technical Data:

Lamp Type	Adjustable B Type L410	Adjustable B Type L510	Adjustable B Type L610	Adjustable B Type L710
Rated Voltage	220-240V			
Rated Power	9W	12W	14W	16W
Displacement Factor--DF	DF0.5	DF0.7		
Declared Luminous Flux	585lm	780lm	910lm	1040lm
Color Temperature	3000K/4000K/6000K			
Average Ra	Ra80			
Beam Angle	120°			
Adjustable light heads	270°			
Average Life	25000H			
Working Temperature	-10°(14°F)~40°C(104°F)			
Material	Acrylic lampshade/Iron body			
Dimmable	NO			
Environment	IP20			
Certificate	CE/CB			