

**TOPSTAR**

— Since 1958 —

# Zed Tri-proof Light B Type



CE CB



## Application :

LED integrated waterproof fixture in 600mm, 1200mm, 1500mm nominal length . High efficiency, up to 135lm/W system efficiency and 45,000 hours lifetime. Supplied with movable stainless steel mounting clips for a flexible and easy installation. LED Zed Tri-proof luminaires that provide an ideal solution for applications such as workshops, garages and outdoor covered spaces.


## Features & Benefits :

- Easy Installation by mounting brackets.
- High quality robust PC UV Resistant Material.
- IP65、IK08.
- Function optional: Standard/Microwave/EmergencyEmergency power than standard 3W, emergency state can be used for 3 hours, light pass 200lm.
- Microwave and emergency voltage 220~240V.

## Application place :

Car parks/ Underground Areas/Warehouses/Workshops.

## Available Sizes :



Type	Height	Width	Length
Zed Tri-proof B Type 2Ft	72mm	83mm	600mm
Zed Tri-proof B Type 4Ft	72mm	83mm	1200mm
Zed Tri-proof B Type 5Ft	72mm	83mm	1500mm

**Technical Data :**

Lamp Type	Zed Tri-proof B Type 2Ft	Zed Tri-proof B Type 4Ft		Zed Tri-proof B Type 5Ft		
Rated Voltage	220-240V					
Rated Power	10W	20W	20W	40W	30W	50W
Displacement Factor--DF	DF0.7			DF0.9		
Declared Luminous Flux	1300lm	2600lm	2700lm	5400lm	4050lm	6750lm
Color Temperature	3000K/4000K/6500K					
Average Ra	Ra80					
Beam Angle	120°					
Average Life	45000H					
Working Temperature	-10~40°C					
Material	Resistant UV PC Material					
Dimmable	NO					
Environment	IP65					
Certificate	CE/CB/ERP					