



0-10V Dimming



High quality aluminium shell



2CCT (4000K&5000K) Selectable

Application:

Topstar's outdoor LED wall pack light provides bright white light for residential and commercial entrances, parking garages, schools, building exteriors, and outside overhead door lighting. With advanced LED technology, our outdoor wall lights consume significantly less energy compared to traditional lighting fixtures and can last up to 50,000 HOURS!

The Topstar's LED wall pack light is designed for simple, hassle-free setup. Whether you're mounting it as an outdoor garage light, porch light, or security light, its straightforward installation process makes it an ideal choice for both professional and DIY installations.

Feature

- 1.0-10V seamless dimming capabilities
- 2.3Wattage and 2CCT selectable
- 3.The ventilation holes design of this LED wall pack promotes air convection for better cooling
- 4.Durable die-cast aluminum housing with UV tempered glass

Application place:

The product is suitable for parking area, driveway, business parkway, walkway and so on.

Technical Data:

	LED Slim Wall pack Max 60W	LED Slim Wall pack Max 120W
Rated Voltage	120-277V	
Rated Power	30/40/60W	80/100/120W
Power Factor	0.7	
Declared Luminous Flux	3600/4800/7200lm	9600/12000/14400m
Color Temperature	4000K/5000K	
Average Ra	70	
Beam Angle	90°	
Average Life	50000H	
Working Temperature	-20 °C (-4 °F)~40 °C (+104 °F)	
Material	Aluminium + Glass	Aluminium + PC
Dimmable	0-10V	
Length	13.74Inch(349mm)	
Width	9.25Inch(235mm)	
Height	4.29Inch(109mm)	
Environment	Wet Location	
Certificate	ETL,FCC,DLC	