



FULL COLOR

With 1600 colors, customize variable light modes.



FUNCTION SETTING

Easily arrange your plans and times.



**Application:**


Make your home into a smart home with the TOPSTAR smart light bulb. Use your favorite smart device to easily turn lights on/off, dim, set groups and schedules from anywhere. Choose energizing daylight or wind down with relaxing soft white light. Get creative with color, it's all up to you. Control lighting with simple voice commands or an intuitive mobile app. Setup is simple: the bulbs connect directly to your 2.4 GHz home Wi-Fi and can be controlled from anywhere. Enhance high-CRI LED light makes colors vibrant and skin tones look more natural, all while saving energy and lasting for years. It has never been easier to customize your home's lighting to suit your lifestyle.

**Feature & Benefits:**

- 1.Function optional: DIM, TW, RGBCW.
- 2.Support Matter over Wi-Fi or Matter over Thread protocol.
- 3.With the ability to support a stunning array of 1600 colors and an adjustable color temperature ranging from 2700K to 6500K.
- 4.Enhance high-CRI LED light makes colors vibrant.
- 5.Turn on/off, adjust lighting, set groups and schedules with your smartphone.
- 6.Compatible with Google Home and Amazon Alexa voice assistants.
- 7.Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights.

**Application place:**

The product is suitable for residential home, living room and so on.

**Available Sizes:**

Type	A	B
A19	2.36Inch(60mm)	4.53Inch(115mm)
A21	2.83Inch(72mm)	5.67Inch(144mm)

**Technical Data:**

	TSZ8.5A19-LD001-CEC	TSZ15A21-LD
<b>Lamp Type</b>	A19	A21
<b>Rated Voltage</b>	120V	120V
<b>Rated Power</b>	9W	15W
<b>Incandescent Equivalent</b>	60W	100W
<b>Power Factor</b>	0.7	0.7
<b>Declared Luminous Flux</b>	800lm	1500lm
<b>Color Temperature</b>	2700~6500K&RGB	2700~6500K&RGB
<b>Average Ra</b>	90	90
<b>Beam Angle</b>	220°	220°
<b>Average Life</b>	15000H	15000H
<b>Working Temperature</b>	-20℃(-4℉)~40℃(+104℉)	-20℃(-4℉)~40℃(+104℉)
<b>Material</b>	Plastic	Plastic
<b>Dimmable</b>	App Control	App Control
<b>Weight</b>	0.099Lb(40g)	0.110Lb(50g)
<b>Base</b>	E26	E26
<b>Environment</b>	Damp Location	Damp Location
<b>Certificate</b>	ETL、FCC、CEC-T20	ETL、FCC、CEC-T20