

**TOPSTAR**

Since 1958

# Remote Control Color Lamps



## FULL COLOR

With 16 colors, customize variable light modes.



## REMOTE CONTROL

Easy operate with remote control.



## TIMER

Automatically turn off the lights after a pre-selected time.



## Introduce :

Light up your next special occasion with these festive LED color-changing party bulbs from TOPSTAR. They produce 16 preset color options with 5 brightness levels and 4 color rotation effects (Flash, Strobe, Fade, and Smooth Transitions). Bulb have both automatic and manual settings, transitioning smoothly through each color cycle. Combine bulbs in the same room for fun color-changing effects. TOPSTAR Color Changing LED bulbs turn on instantly to full brightness. At the same time, switch the 2700K Soft White or 5000K Daylight to meet the daily lighting needs. They have an average life of 15,000 hours and are RoHS compliant, so the party never has to stop.

## Features & Benefits :

- 16 preset color options.
- Brightness adjustment.
- 4 different light effect options.
- 15,000 party hours.

## Application place :

The product is suitable for residential home, living room and so on.

## Technical Data :

|                         | TSZ6B12-L00*             | TSZ9.5A19-LD    | TSZ8.5BR30-L0*  | TSZ15PAR38-L0*  |
|-------------------------|--------------------------|-----------------|-----------------|-----------------|
| Lamp Type               | B12                      | A19             | BR30            | PAR38           |
| Rated Voltage           | 120V                     | 120V            | 120V            | 120V            |
| Rated Power             | 6W                       | 9.5W            | 8.5W            | 15W             |
| Incandescent Equivalent | 60W                      | 60W             | 65W             | 120W            |
| Power Factor            | 0.7                      | 0.6             | 0.7             | 0.7             |
| Declared Luminous Flux  | 500lm                    | 800lm           | 650lm           | 1300lm          |
| Color Temperature       | 2700/5000K & RGB         |                 |                 |                 |
| Average Ra              | 80                       |                 |                 |                 |
| Beam Angle              | 280°                     | 170°            | 100°            | 40°             |
| Average Life            | 15000H                   |                 |                 |                 |
| Working Temperature     | -20°C(-4°F)~40°C(+104°F) |                 |                 |                 |
| Material                | Plastic                  |                 |                 |                 |
| Dimmable                | Remote Control           |                 |                 |                 |
| Diameter                | 1.50Inch(38mm)           | 2.36Inch(60mm)  | 3.70Inch(94mm)  | 4.84Inch(123mm) |
| Height                  | 4.17Inch(106mm)          | 4.65Inch(118mm) | 5.20Inch(132mm) | 5.24Inch(133mm) |

|             |               |              |              |               |
|-------------|---------------|--------------|--------------|---------------|
| Weight      | 0.077Lb(35g)  | 0.165Lb(75g) | 0.209Lb(95g) | 0.441Lb(200g) |
| Base        | E12/E26       | E26          | E26          | E26           |
| Environment | Damp Location |              |              |               |
| Certificate | ETL、FCC       |              |              |               |