


# **BR Lamp - General**







## **GLOWING EFFECT**

Instant on to full brightness and luminance uniformity



### **POLLUTION FREE**

RoHS compliant and are 100% mercury free



**DIMMABLE TRIAC Dimming** 









#### Introduce:

Enjoy all the benefits of advanced LED energy-saving technology with the TOPSTAR LED BR Lamp. The light bulbs feature high color rendering index light with superior light quality and rich vivid color. This LED BR Lamp replaces incandescent bulb, producing a similar light output using less electricity. Get instant on to full brightness with relatively cool running performance. These TOPSTAR LED BR Lamp have an average life of 15,000 hours are RoHS compliant, and are 100% mercury free. Choose a dependable Title 20 Compliant bulb for general purpose residential or commercial applications.


#### Features & Benefits:

- Instant on to full brightness and TRIAC dimmable
- Enhance high-CRI LED light makes colors vibrant
- These LED lights do not contain mercury and won't release any hazardous gases into the air
- With a lifetime of up to 15,000 hours, you can reduce the hassle of frequently replacing your light bulbs
- Energy efficient LED technology uses considerably less power and last longer compared to equivalent incandescent lights

## Application place:

The product is suitable for residential home, living room and so on.

#### Available Sizes:



| Туре               | Diameter        | Height           |
|--------------------|-----------------|------------------|
| TSZ8BR30-LD00*     | 3.70 Inch(94mm) | 5.04 Inch(128mm) |
| TSZ8BR30-LD004-CEC | 3.70 Inch(94mm) | 5.04 Inch(128mm) |



# **Technical Date:**

|                         | TSZ8BR30-LD00*          | TSZ8BR30-LD004-CEC |
|-------------------------|-------------------------|--------------------|
| Lamp Type               | BR30                    |                    |
| Rated Voltage           | 120V                    |                    |
| Rated Power             | 8W                      |                    |
| Incandescent Equivalent | 65W                     |                    |
| Power Factor            | 0.5                     | 0.7                |
| Declared Luminous Flux  | 650lm                   |                    |
| Color Temperature       | 2700K/5000K             |                    |
| Average Ra              | Ra80                    | Ra90               |
| Beam Angle              | 110°                    |                    |
| Average Life            | 15000H                  |                    |
| Working Temperature     | -20°(-4°F)~40°C(+104°F) |                    |
| Material                | Plastic                 |                    |
| Dimmable                | NO                      | YES                |
| Weight                  | 0.133Lb(60g)            | 0.144Lb(65g)       |
| Base                    | E26                     |                    |
| Environment             | Damp Location           |                    |
| Certificate             | ETL, FCC                | ETL、FCC、CEC-T20    |